

Webhooks

List

List All the Organization level Webhooks that are defined.

HTTP REQUEST: GET

This API lists webhooks. With no parameters, it gets the org specific webhooks. Caller can append projectId or notificationType to search more specifically.

```
GET /api/1.0/org/{orgId}/webhooks
```

QUERY PARAMETERS

Name	Type	Description
projectId	string	The Project Id to fetch webhooks for
notificationType	string	The Notification Type

RESPONSES

Code	Description
200	Success.
401	This error will occur if calling user does not have access right for the API.
404	This error will occur if calling user does not have access right for the API.
500	A server error occurred. Check the logs for more details.
503	This error will occur if Design Center APIs are not enabled.

200 Reponse Body

```
{
  "status": {
    "code": 200,
    "i18n_message": "response.ok",
    "message": "ok"
  },
  "response": {
    "id": "abc123"
  }
}
```

HTTP REQUEST: POST

This API creates a webhook. The body of the request is a JSON serialized form for the webhook.

POST /api/1.0/org/{orgId}/webhooks

URI PARAMETERS

Name	Type	Description
orgId	string	The Organization ID (UUID) for which you are querying.

RESPONSES

Code	Description
200	Success.
401	This error will occur if calling user does not have access right for the API.
404	This error will occur if calling user does not have access right for the API.
500	A server error occurred. Check the logs for more details.
503	This error will occur if Design Center APIs are not enabled.

Request Body

```
{
  "org_id": "default",
  "notification_type": "SNAPSHOT",
  "url": "http://www.yahoo.com",
  "project_id": "ab7f99ac-cb3a-428b-6092-5cd1ba28abe7"
}
```

200 Reponse Body

```
{
  "status": {
    "code": 200,
    "i18n_message": "response.ok",
    "message": "ok"
  },
  "response": {
    "id": "abc123"
  },
  "time_to_process": "1.1 seconds"
}
```

Webhooks

HTTP REQUEST: GET

```
GET /api/1.0/org/{orgId}/webhooks/{hookId}
```

URI PARAMETERS

Name	Type	Description
orgId	string	The Organization ID (UUID) for which you are querying.
hookId	string	The Webhook ID (UUID) for which you are querying.

RESPONSES

Code	Description
200	Success.

401	This error will occur if calling user does not have access right for the API.
404	This error will occur if calling user does not have access right for the API.
500	A server error occurred. Check the logs for more details.
503	This error will occur if Design Center APIs are not enabled.

200 Reponse Body

```
{
  "status": {
    "code": 200,
    "i18n_message": "response.ok",
    "message": "ok"
  },
  "response": {
    "id": "abc123"
  },
  "time_to_process": "1.1 seconds"
}
```

HTTP REQUEST: DELETE

Deletes the webhook identified by hookId in org identified by orgId.

```
DELETE/api/1.0/org/{orgId}/webhooks/{hookId}
```

URI PARAMETERS

Name	Type	Description
orgId	string	The Organization ID (UUID) for which you are querying.
hookId	string	The Webhook ID (UUID) for which you are querying.

RESPONSES

Code	Description
------	-------------

200	Success.
401	This error will occur if calling user does not have access right for the API.
404	This error will occur if calling user does not have access right for the API.
500	A server error occurred. Check the logs for more details.
503	This error will occur if Design Center APIs are not enabled.

200 Reponse Body

```
{  
  "status": {  
    "code": 200,  
    "i18n_message": "response.ok",  
    "message": "ok"  
  },  
  "response": {  
    "id": "abc123"  
  },  
  "time_to_process": "1.1 seconds"  
}
```